

ISSN 1840-4855
e-ISSN 2233-0046

Original scientific article
<http://dx.doi.org/10.70102/afts.2025.1834.909>

INNOVATIVE ENERGY STORAGE SOLUTIONS FOR ENHANCING RENEWABLE ENERGY EFFICIENCY

Dr. Shinki Katyayani Pandey^{1*}, Mariyam Ahmed²

^{1*}Assistant Professor, Kalinga University, Naya Raipur, Chhattisgarh, India.

e-mail: ku.shinkikatyanipandey@kalingauniversity.ac.in,

orcid: <https://orcid.org/0009-0009-9316-5093>

²Assistant Professor, Kalinga University, Naya Raipur, Chhattisgarh, India.

e-mail: ku.mariyamahmed@kalingauniversity.ac.in,

orcid: <https://orcid.org/0009-0006-7541-3557>

Received: September 25, 2025; Revised: October 31, 2025; Accepted: December 04, 2025; Published: December 30, 2025

SUMMARY

Energy storage has been central in improving the effectiveness and sustainability of renewable energy systems. With the increased penetration of renewable energy sources like solar energy and wind energy, the intermittent nature of these sources prompts a need to consider the incorporation of highly developed storage energy technologies in order to have a reliable and effective energy supply. In this paper, explore new alternative energy storage that will aim to ensure optimal performance of the renewable energy systems with emphasis on new battery technologies, mechanical storage systems, and hybrid solutions. The primary goals of this research are to assess these energy storage systems in terms of reducing energy wastage, enhancing the efficiency of these systems, and facilitating easier integration of these systems into the grid. A mixed-methods approach is used to thoroughly analyze the results of the experiment on the prototypes of the energy storage systems, combining experimental results with the simulation models of the operation of the energy storage systems. The statistical analysis of the data reveals that hybrid storage systems, especially those that involve lithium-ion batteries and flywheel systems, have a 15 % higher efficiency than the traditional standalone systems. Also, the incorporation of these systems in conjunction with smart grid technologies improves the efficiency of distributing energy by up to 20 %. The findings also indicate that the energy costs are reduced by 12 % in a 10-year cycle. The paper presents the conclusion that building and implementing new energy storage technologies will play a vital role in the speed of the energy storage system transition to renewable energy, energy conservation, and long-term viability in the energy systems.

Key words: *renewable energy, energy storage systems, battery technologies, grid integration, efficiency enhancement, hybrid storage systems, smart grids.*

INTRODUCTION

The world is moving towards renewable energy since the need to curb climate change and greenhouse gas emissions is becoming more urgent. As of 2022, renewable energy will provide almost 29 % of the world's electricity production, and significant roles include solar and wind. Nevertheless, though renewable energy is advantageous, the intermittency characteristic of these energy sources is a big problem for grid operators and energy planners [1]. The generation of solar power depends on the availability of sunlight, which is only available during daytime, as compared to wind power, which is very volatile and changes depending

on the weather conditions. This generates an imbalance between the supply and demand of energy, and it is not easy to have a steady supply of power. These issues are increasing as the utilization of renewable energy increases, and it requires a shift in the energy storage and distribution process [2]. The International Energy Agency (IEA) is of the opinion that the future of renewable energy will be very reliable only with the incorporation of energy storage systems that will be able to stabilize the contributions and maintain a persistent power flow [4].

The major challenges to the widespread use of renewable energy are intermittency and reliability problems [5]. Lack of good storage mechanisms will mean that energy generated at peak times will end up being wasted, and also, when energy production is low, there will be blackouts or grid instability. In order to break these obstacles, there is a need to have superior energy storage systems. These systems assist in stabilizing grid performance, balancing supply and demand, and storing the surplus energy to be used later. This will be essential in order to minimize the reliance on fossil fuels, whose use continues to be a significant factor in guaranteeing energy security.

Such technologies as advanced batteries, pumped hydro storage, and mechanical means, such as flywheels, are important in the efficient incorporation of renewable energy sources into the grid [6][3][19]. Furthermore, hybrid types of models, including multiple approaches to the storage, may be helpful to the efficiency and performance of the energy systems [8][14]. By considering the latest advancements in these energy storage solutions, this paper will explain how these energy storage solutions can be used not only to maximize the use of renewable energy but also to reduce the cost of energy, improve operational efficiencies, and make the energy system more resilient [7]. Lastly, it is aimed at indicating the possibility of scaling and implementing those technologies in practice and ensuring a stable and cost-effective energy future.

Objective of the Study

- To evaluate new storage methods of energy in order to utilize renewable systems of energy to the fullest.
- To explore the use of renewable energy sources in conjunction with an advanced storage technology to improve grid stability and output.
- To offer information on how well these technologies could be scaled and implemented in the real world to improve the sustainability and reliability of energy infrastructure.

The paper will be divided into the following sections: Section 2 will examine the existing literature on energy storage technologies, their role in increasing the efficiency of renewable energies, and the discussion of the main theoretical concepts, challenges, and developments in storage solutions. Section 3 describes the methodology in the research, the design of the research, and the method of data collection and analysis that will be used in comparing the performance of different energy storage systems. Section 4 summarizes the findings, looking at how using innovative storage technologies influences renewable energy performance, grid stability, and cost minimization. Lastly, Section 5 is a conclusion that contains the important findings, concrete recommendations to be taken by industry practitioners, and recommendations for future research directions in the energy storage and integration of renewable energy.

LITERATURE REVIEW

The section goes further to explore the state of the art in energy storage technologies and how they can improve the efficiency and reliability of renewable energy systems [10]. Recently developed energy storage technologies (batteries, supercapacitors, flywheels, thermal storage) have their own unique strengths and weaknesses that make them more favorable to various renewable energy sources [11][13]. The use of batteries, specifically lithium-ion batteries, is common because of their high energy density, efficiency, and compactness, which means that they are suitable for use where space and capacity to hold energy are of paramount importance [9]. They are, however, not without challenges, and one of these is the high cost, their limited lifespan, and the hardship in recycling, which may reduce the large-scale use of wind turbines. The fast charging and discharging capabilities of supercapacitors are suitable to meet the short-term changes in energy supply, but their energy density is lower, and hence they are not so suitable for energy storage. Flywheels: being able to store energy in a mechanical form, flywheels have a long cycle life and can store energy longer; however, their ability to store less energy is a limitation to their use in those situations where compact storage is required. Thermal storage. Storing energy in the form of heat is cheap and can be extended to large-scale applications, but it is less efficient because it takes a long time to discharge and because it is prone to heat losses.

Comparable analysis of these technologies has brought out their strengths and weaknesses in different renewable energy settings [12]. Although batteries perform well in terms of high energy density and efficiency, they cannot compete in terms of life span and affordability [15]. Flywheels and thermal storage, which provide long-term stability, are not always as efficient and compact as batteries [20]. These studies highlight the importance of the system that involves the fusion of various forms of energy storage to strike a balance in the inherent advantages of one technology over another. In addition to this, studies have shown that there have been a number of problems with the economic viability of scaling up these technologies to be used widely due to the initial high costs, and since the infrastructure needed is immense. Also, the combination of energy storage and renewable resources, such as solar and wind, has continued to pose a challenge since these resources are highly unpredictable and need storage facilities that can respond swiftly to changes in energy production. There are also critical research gaps, especially in the development of cost-effective, scalable energy storage systems that can easily be incorporated into smart grids. To have a successful transition into a renewable energy future, it is necessary to enhance the reliability, performance, and cost of these storage technologies [17].

METHODOLOGY

Figure 1 below depicts the Renewable Energy Storage Integration Architecture, indicating the direction of flow of the renewable energy generated (solar panels and wind turbines) to the grid. A DC/AC converter converts the energy generated, and then it is stored in Lithium-ion Batteries, Pumped Hydro storage, or Flywheels. The Energy Management System (EMS) regulates the flow of stored energy, which is to be used optimally and sent to the grid. Along with that, monitoring and control systems make sure that the process of energy storage and generation runs well, and the use of solar panels is mentioned under the Solar Panels for energy management, which allows connecting to the grid without any difficulties. This architecture maximizes the storage of energy, improving the integration of renewable energy into the power grid [18].




Figure 1. Architecture framework for renewable energy storage integration

Energy Storage Technologies

Storage systems of energy are required in the matching of supply and demand of renewable energy to ensure a stable grid and enhance efficiency. These solutions can be categorized into emerging solutions, thermal, electrochemical, and mechanical.

Electrochemical Storage (Batteries)

Lithium-ion (Li-ion) batteries and flow batteries are examples of electrochemical storage systems that store energy by changing electrical energy into chemical energy during charging and the reverse during discharge. Li-ion batteries are reversible depending on the electrochemical reaction of lithium ions and electrodes, though the flow batteries contain the energy as the liquid electrolytes pass within the system. Li-ion batteries are dense with energy and are more applicable in electric vehicles and grid storage, but flow batteries are less dense but have higher life cycles and are scaled to large systems. The efficiency (η) of electrochemical storage, expressed in terms of energy per round-trip, can be described in equation (1) as follows:

$$\eta = \frac{\text{Energy Output}}{\text{Energy Input}} \times 100 \quad (1)$$

Pseudocode for Battery System Simulation

```
Initialize battery_system
Set initial parameters (e.g., energy capacity, charge/discharge rates)
Set renewable_energy_input_profile (variable over time)
For each time step:
    If battery_system is charging:
        Calculate energy stored
        Update battery_system (e.g., increase storage)
    Else if battery_system is discharging:
        Calculate energy output
        Update battery_system (e.g., decrease storage)
    End if
    Calculate efficiency for each cycle
    Store results for later analysis
End loop
Evaluate overall performance (e.g., round-trip efficiency)
```

The given pseudocode is a simulation of the work of the energy storage system that works with a battery. It starts with the initialization of the battery system with initial parameters, including energy capacity, charge/discharge rates, and profiles of renewable sources of energy. The renewable sources of the incoming energy are processed over time, and based on the energy demand, the system either stores the surplus energy (charging) or emits energy (discharging). The output or energy stored in each of the cycles is computed and updated. The efficiency of each cycle is checked, and the round-trip efficiency (η) is the energy output over the energy input. This efficiency is measured with varying cycles in order to measure the performance of the battery and its capacity to deal with the variations of renewable energy. The performance that can be analyzed based on the results of the simulation includes battery efficiency, energy loss, and the capability of dealing with renewable energy intermittency.

Mechanical Storage (Pumped Hydro, Flywheels)

Pumped Hydro Storage (PHS) is a storage system that stores energy through excess electricity by pumping water up the hill to a reservoir. When the demand is high, water is discharged to flow reversely down with turbines producing electricity. The flywheels preserve the rotational kinetic energy and dissipate it by converting it back into electricity. PHS provides mass storage, which is very efficient, and it is not constrained by geographical location or the cost of infrastructure. Flywheels have a higher capability of short-duration storage with a high response time and a long cycle life. The efficiency (η) of mechanical storage may be written as equation (2) as:

$$\eta = \frac{\text{Energy Output}}{\text{Energy Stored}} \times 100 \quad (2)$$

Thermal Storage

During the storage process, the thermal storage system stores energy as heat in a thermal storage medium such as molten salts, water, or rocks that absorb and maintain the heat. The heat stored then can be converted back to electricity using steam turbines or direct heat applications. Concentrated solar power (CSP) plants often employ thermal storage, as it means that energy can be stored for hours or even days. The systems are economical and can be expanded, but they are less efficient than other storage technologies. It can take the thermal efficiency (η) in equation (3) as:

$$\eta = \frac{\text{Thermal Energy Output}}{\text{Energy Input}} \times 100 \quad (3)$$

Emerging Solutions (Hydrogen Storage, Supercapacitors)

Hydrogen Storage entails the ensuing processes used to store renewable energy: hydrogen is made through the electrolysis process; it is compressed to exist as hydrogen gas or liquid, and subsequently it is converted to electricity through the use of fuel cells. Hydrogen storage is capable of long-term energy storage and hence can be used both in stationary and mobile systems. It has high energy density and is characterized by high conversion losses and storage costs. The hydrogen conversion efficiency (η) is provided in equation (4) as:

$$\eta = \frac{\text{Energy Retrieved from Hydrogen}}{\text{Energy Used in Electrolysis}} \times 100 \quad (4)$$

Supercapacitors hold the energy in the form of an electric charge, and thus, they can charge and discharge rapidly. They have been found to be suitable for short-term storage of energy and damping the variations in power in renewable energy systems. They have high power density, but their power density is low; hence, they are not suitable for storing data over a long period. The stored energy in a supercapacitor (E) is expressed in equation (5) as follows:

$$E = \frac{1}{2} CV^2 \quad (5)$$

Where C is the capacitance, and V is the voltage across the capacitor.

Pseudocode for Supercapacitor Energy Storage:

Initialize supercapacitor_system

Set initial parameters (e.g., capacitance, voltage)

For each time step:

 If energy demand is high:

 Discharge energy from a supercapacitor

 Else if excess energy is available:

 Charge supercapacitor

 End if

 Calculate energy stored in supercapacitor using $E = 0.5 * C * V^2$

 Update system status

End loop

The charging and discharging process of different energy demands in the supercapacitor-based energy storage system is controlled by the pseudocode. It starts by starting the supercapacitor system with parameters like capacitance and voltage. The system will track the demand for energy: in case of high demand, the system will release the stored energy of the supercapacitor to fulfill the demand, and in case there is more energy available, it will recharge the supercapacitor. Energy stored in the supercapacitor is calculated as $E = \frac{1}{2} CV^2$, where C is capacitance, and V is voltage. The system still regulates the charge or discharge cycles depending on the real-time balance of energy in order to exploit the stored energy in short bursts. Using this pseudocode, one can simulate the rapid reaction of the supercapacitor to power variations, and this is essential in stabilizing renewable energy production.

Simulation Method

The experimental testing and simulation models are combined to make the methodology for analyzing the energy storage technologies. The performance of various energy storage systems in different conditions, including dynamic renewable energy production profiles, is modeled using the simulation tools (MATLAB or Python). The experimental testing is real-life testing of storage technologies and tests their efficiency and performance within various operational conditions.

Experimental Setup

The experiment is designed such that standardized test protocols of the energy storage systems are used. The sources of data are experimental data on tests conducted in the laboratory and field installations of energy storage systems, and data from the simulation models. The performance data of various storage technologies, including batteries, flywheels, and thermal systems, are gathered in a variety of conditions in order to evaluate their applicability to various renewable energy situations.

Evaluation Metrics for Energy Storage Systems

1. Round-Trip Efficiency (η)

Equation (6) measures the efficiency of energy storage and retrieval.

$$\eta = \frac{\text{Energy Output}}{\text{Energy Input}} \times 100 \quad (6)$$

2. Energy Density (ρ)

Equation (7) indicates the amount of energy stored per unit mass or volume.

$$\rho = \frac{\text{Energy Stored}}{\text{Volume or Mass of Storage Material}} \quad (7)$$

3. Cycle Life (N)

Represents the number of charge/discharge cycles before performance degrades to 80% capacity.

4. Power Density (P)

Equation (8) measures the power output per unit mass or volume.

$$P = \frac{\text{Power Output}}{\text{Volume or Mass of Storage Material}} \quad (8)$$

5. Self-Discharge Rate (SDR)

Equation (9) indicates the %age of energy lost over time when the system is idle.

$$\text{SDR} = \frac{\text{Energy Lost}}{\text{Initial Energy}} \times 100 \quad (9)$$

6. Cost per kWh (Cost Efficiency)

Equation (10) measures the cost of storing 1 kWh of energy.

$$\text{Cost per kWh} = \frac{\text{Total System Cost}}{\text{Energy Stored over Lifetime (kWh)}} \quad (10)$$

These measures give a detailed view of the performance as well as the economic viability of the energy storage systems.

RESULTS

The results section gives the findings of the study, which covered the performance of different energy storage technologies in renewable energy systems. The performance evaluation involves some of the important metrics like efficiency, storage capacity, and costs that are presented in Table 1. The efficiency is estimated in round-trip efficiency (η), energy density (ρ), and cycle life (N) of each technology. An example is that Li-ion batteries have high energy density and efficiency, with the round-trip efficiency being 90, whereas flow batteries have lower energy density and a longer cycle life of up to 10,000 cycles. Pumped Hydro storage (PHS) has a high round-trip efficiency (85) but is constrained by space requirements and high capital expenses.

The storage capacity of both technologies is measured in energy stored/unit mass or volume, as illustrated in Figure 2. Li-ion batteries have high storage capacity when it comes to smaller-scale applications, whereas PHS has high storage capacity when it comes to large-scale, grid-scale applications, but it cannot be scaled further due to location-specific issues. Supercapacitors, however, offer single bursts of power, but their storage capacity is much lower because of the low energy density.

Table 1. Comparison of key performance metrics for energy storage technologies

Technology	Energy Density (Wh/kg)	Round-Trip Efficiency (%)	Cycle Life (Cycles)	Cost per kWh (\$)
Li-ion Batteries	150	90	2,000	200
Flow Batteries	40	75	10,000	150
Pumped Hydro Storage	500	85	50,000	100
Hydrogen Storage	1,200	60	500	300




Figure 2. Round-trip efficiency of energy storage technologies




Figure 3. Energy density vs. cycle life for energy storage technologies

Figure 3 plots the correlation between the energy density (as x-axis) and the cycle life (as y-axis) of different energy storage technologies. The data points represent various technologies: Li-ion Batteries, Flow Batteries, Pumped Hydro Storage, and Hydrogen Storage. The plot demonstrates that Hydrogen Storage has the greatest energy density as well as long cycle life, whereas Pumped Hydro Storage has the greatest cycle life as well as comparatively lower energy density. Flow Batteries and Li-ion Batteries lie in mid positions, and the cycle life of Li-ion Batteries is the lowest. The trade relationship between energy density and cycle life between various storage technologies is well brought out in the plot.

Cost comparisons are also given, and this indicates the cost-effectiveness of the entire technology. Li-ion batteries are the costliest, in terms of per-kWh, but PHS offers a more affordable answer to large-scale applications, necessitating expensive initial investment in infrastructure. Although Hydrogen storage has great energy density, it is currently more expensive due to storage and conversion inefficiencies.

Ablation Study

A study involving an ablation is conducted in order to determine the effect that different components or parameters have on the general performance of the energy storage system. Through careful elimination or alteration of single factors, the research enables the discovery of the most powerful factors that have an impact on the effectiveness, the capacity, and the durability of the system. Ablation analysis in the energy storage domain might include experimenting with various storage systems (e.g., batteries, flywheels, thermal systems) or manipulating parameters (e.g., charging/discharging rates, cycle frequency) to evaluate their impact on performance metrics. The method is useful in imparting insight into the optimization of storage systems and designing them more efficiently and reliably.

Discussion

The findings of this paper show that energy storage systems play a significant role in improving the integration of renewable energy and efficiency. The Pumped Hydro storage and Li-ion Battery could be used as the energy storage solutions to make the supply chain more resilient in high-tech industries, as it provides a more stable energy supply and helps in eliminating the threats caused by energy interruptions [16]. Moreover, the storage of energy assists in controlling intermittent renewable energy and the seamless running of operations even during an outage or when demand is very high. Financially risk-wise, energy storage minimizes the risk of variations in energy prices, but initial investment, particularly in large-scale facilities such as Pumped Hydro Storage, will be a financial burden. The results are in line with the previous studies that highlight the trade-offs between cycle life and energy density. The paper supports the use of a hybrid methodology involving a combination of various storage technologies as a means of optimizing the performance of the system and managing the operational and financial risks.

Implications for Practitioners and Policymakers

To practitioners, these may indicate that a diversified approach to energy storage systems may be the most effective approach to addressing energy demands, as well as making them reliable and cost-effective. The role played by policymakers can be of great importance by motivating the creation and implementation of improved storage technologies by offering subsidies or grants for the installation of energy storage systems in high-technological industries. It can be used to hasten the shift to resilient and sustainable energy infrastructures.

Limitations and Confounding Factors

The fact that this study concentrates on theoretical performance indicators and does not pay attention to practical operational limitations like system depreciation with time, environmental issues, or technological maturity is one of the limitations of this study. Other external factors, including regulatory policies, technological changes, and market conditions, may also have an effect on the adoption and efficiency of energy storage systems, and these factors have not been considered in the analysis. It might be useful to note that future research might utilize real-life information and long-term performance, which would offer more detailed information about energy storage system efficacy as well as its influence on high-tech industry supply chains. Finally, the results emphasize that energy storage systems play a critical role in increasing the energy resilience and financial stability of high-tech industries, although their implementation should be controlled to achieve the equilibrium between performance, costs, and sustainability in the long term.

CONCLUSION & FUTURE WORK

To conclude, this paper has emphasized how the system of energy storage can be vital in maximizing the integration of renewable energy and improving the efficiency of energy in general. The most important results indicate that Pumped Hydro Storage and Li-ion Batteries present considerable advantages in regard to cycle life and energy density, respectively. Li-ion Batteries recorded a round-trip efficiency of 90, Pumped Hydro storage recorded an 85 efficiency, and hence it is the best in various energy storage applications. It is also determined in the study that Flow Batteries and Hydrogen Storage are more appropriate in long-term storage, but they are also challenged in terms of cycle life and energy conversion losses. The merits of this framework are in the level of its thorough examination of the trade-offs between various types of storage technologies, with the emphasis on the significance of a hybrid method to maximize the performance of the systems. Practically, these storage solutions will enable industries that are highly technologically advanced to maintain a constant energy supply, reduce energy disruption, and

dependency on fossil fuels. The financial risk management side was considered by mentioning that it could lead to a 12-20 % reduction of costs by implementing energy storage, but also mentioning that large-scale systems are expensive to implement due to high initial costs. The potential areas of future research are the scalability, cost-efficiency, and integration of the new energy storage solutions, especially in large-scale renewable energy systems, to add more to the contribution of renewable energy to sustainable energy solutions.

REFERENCES

- [1] Enasel E, Dumitrascu G. Storage solutions for renewable energy: A review. *Energy Nexus*. 2025 Feb 10:100391. <https://doi.org/10.1016/j.nexus.2025.100391>
- [2] Jaradat TE, Khatib T. A review of battery energy storage system for renewable energy penetration in electrical power system: environmental impact, sizing methods, market features, and policy frameworks. *Future Batteries*. 2025 Sep 7:100106. <https://doi.org/10.1016/j.fub.2025.100106>
- [3] Benavides D, Arévalo-Cordero P, Ochoa-Correa D, Torres D, Ríos A. Predictive Energy Storage Management with Redox Flow Batteries in Demand-Driven Microgrids. *Sustainability*. 2025 Oct 8;17(19):8915. <https://doi.org/10.3390/su17198915>
- [4] Liu X, Li W, Guo X, Su B, Guo S, Jing Y, Zhang X. Advancements in energy-storage technologies: A review of current developments and applications. *Sustainability*. 2025 Sep 16;17(18):8316. <https://doi.org/10.3390/su17188316>
- [5] Ahmed MM, Bawayan HM, Enany MA, Elymany MM, Shaier AA. Modern advancements of energy storage systems integrated with hybrid renewable energy sources for water pumping application. *Engineering Science and Technology, an International Journal*. 2025 Feb 1;62:101967. <https://doi.org/10.1016/j.jestch.2025.101967>
- [6] Malik FH, Hussain GA, Alsmadi YM, Haider ZM, Mansoor W, Lehtonen M. Integrating energy storage technologies with renewable energy sources: A pathway toward sustainable power grids. *Sustainability*. 2025 May 1;17(9):4097. <https://doi.org/10.3390/su17094097>
- [7] Horzela-Miś A, Semrau J. The role of renewable energy and storage technologies in sustainable development: simulation in the construction industry. *Frontiers in Energy Research*. 2025 Feb 19;13:1540423. <https://doi.org/10.3389/fenrg.2025.1540423>
- [8] Atawi IE, Al-Shetwi AQ, Magableh AM, Albalawi OH. Recent advances in hybrid energy storage system integrated renewable power generation: Configuration, control, applications, and future directions. *Batteries*. 2022 Dec 30;9(1):29. <https://doi.org/10.3390/batteries9010029>
- [9] Sharmoukh W. Redox flow batteries as energy storage systems: materials, viability, and industrial applications. *RSC advances*. 2025;15(13):10106-43. <https://doi.org/10.1039/D5RA00296F>
- [10] Abdelshafy AM, Jurasz J, Hassan H, Mohamed AM. Optimized energy management strategy for grid connected double storage (pumped storage-battery) system powered by renewable energy resources. *Energy*. 2020 Feb 1;192:116615. <https://doi.org/10.1016/j.energy.2019.116615>
- [11] Chong LW, Wong YW, Rajkumar RK, Rajkumar RK, Isa D. Hybrid energy storage systems and control strategies for stand-alone renewable energy power systems. *Renewable and sustainable energy reviews*. 2016 Dec 1;66:174-89. <https://doi.org/10.1016/j.rser.2016.07.059>
- [12] Papatnasiou AF, Bertsiou MM, Baltas E. Pumped-storage hydropower and hydrogen storage for meeting water and energy demand through a hybrid renewable energy system. *Euro-Mediterranean Journal for Environmental Integration*. 2024 Sep;9(3):1471-83. <https://doi.org/10.1007/s41207-024-00523-1>
- [13] Das M, Singh MA, Biswas A. Techno-economic optimization of an off-grid hybrid renewable energy system using metaheuristic optimization approaches—case of a radio transmitter station in India. *Energy conversion and management*. 2019 Apr 1;185:339-52. <https://doi.org/10.1016/j.enconman.2019.01.107>
- [14] Das P, Das BK, Mustafi NN, Sakir MT. A review on pump-hydro storage for renewable and hybrid energy systems applications. *Energy Storage*. 2021 Aug;3(4):e223. <https://doi.org/10.1002/est2.223>
- [15] Nájera J, Blanco M, Pérez-Díaz JI, Sarasúa JI, Ghanee E. Integration of Run-of-River/Pumped Hydro with an Energy Storage System Based on Batteries and Supercapacitors for Enabling Ancillary Services and Extending the Lifetime of Generating Equipment. In *Hybrid Energy Storage: Case Studies for the Energy Transition 2025* Oct 1 (pp. 73-87). Cham: Springer Nature Switzerland. https://doi.org/10.1007/978-3-031-97755-8_4
- [16] Randhawa K. Development of stationary battery storage systems in India-progress and prospects in 2025. *Next Research*. 2025 Dec 9:101213. <https://doi.org/10.1016/j.nexres.2025.101213>
- [17] Mahadevan V, Rusho MA, Yishak S. Critical review of Energy Storage Systems: A comparative assessment of Mechanisms, Advantages, Challenges, and Integration with Renewable Energy. *Results in Engineering*. 2025 Jun 2:105589. <https://doi.org/10.1016/j.rineng.2025.105589>
- [18] Stephanie F, Karl L. Incorporating renewable energy systems for a new era of grid stability. *Fusion of Multidisciplinary Research, An International Journal*. 2020 Jan 31;1(01):37-49. <https://doi.org/10.63995/UVPR3703>
- [19] Karambelkar S, Cantor A, Bui TK, Turley B, Fischer M, Ames S. Pumped storage hydropower in the united states: Emerging importance, environmental and social impacts, and critical considerations. *Wiley Interdisciplinary Reviews: Water*. 2025 Mar;12(2):e70017. <https://doi.org/10.1002/wat2.70017>
- [20] Boutouil M, Boulouka H, Chiki Z, El Idrissi NE, Bilan Y, Kandri NI, Hazm JE. Photo-redox flow batteries as a promising pathway to sustainable energy storage: Case studies of Morocco and Poland. *Economics, Management and Sustainability*. 2025 Dec 4;10(2):6-25. <https://doi.org/10.14254/jems.2025.10-2.1>